

fig. 1


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/8  
EN999088

## POSSIBLE INQUIRY TYPES

- FILE
  - ✓ CHECK FOR EXISTENCE OF A FILE OF A CERTAIN DATE, TIME AND SIZE.
  - ✓ CAN RETURN FILE INFORMATION.
- INI FILE
  - ✓ CHECK FOR A CERTAIN APPLICATION, VARIABLE AND VALUE.
  - ✓ CAN RETURN A CERTAIN VALUE OR ALL VARIABLES AND VALUES.
- ASCII FILE
  - ✓ CHECK FOR A CERTAIN CHARACTER STRING IN A FILE.
  - ✓ CAN RETURN INFORMATION ON THE LINE WITH THE CHARACTER STRING.
- REGISTRY
  - ✓ CHECK FOR A CERTAIN REGISTRY TREE AND VALUE.
  - ✓ CAN RETURN VALUE OR ALL VALUES IN SUB TREES.
- EXTERNAL PROCESS USING INI OUTPUT
  - ✓ EXECUTE AN EXTERNAL PROCESS AND DO AN INI FILE INQUIRY ON THE RESULTS.
- EXTERNAL PROCESS USING ASCII OUTPUT
  - ✓ EXECUTE AN EXTERNAL PROCESS AND DO AN ASCII FILE INQUIRY ON THE RESULTS.
- EXTERNAL PROCESS USING REGISTRY
  - ✓ EXECUTE AN EXTERNAL PROCESS AND DO A REGISTRY INQUIRY ON THE RESULTS.
- MULTIPLE
  - ✓ DO A COMBINATION OF THE OTHER INQUIRES WHERE ALL MUST SUCCEED.

*fig. 2*



*fig. 3A*




fig. 3B




fig. 4





fig. 5

595



*fig. 7*

*fig. 6*

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/8  
EN999088

EXAMPLE DICTIONARY FILE

```
[IP ADDRESS]
:IPCONFIG;%APPID%=%VALUE%;IP ADDRESS;*
[HOSTNAME]
:IPCONFIG;%APPID%=%VALUE%;HOST NAME;*
[NAMESERVERS]
:IPCONFIG;%APPID%=%VALUE%;DNS SERVERS;*
[DHCP]
:IPCONFIG;DHCP IS ENABLED;DHCP ENABLED;YES
:IPCONFIG;DHCP IS NOT ENABLED;DHCP ENABLED;NO
[GATEWAY]
:IPCONFIG;%APPID%=%VALUE%;DEFAULT GATEWAY;*
[APPSW01]
:FILE;APPSW01=NOTES:4.6.1;NOTES.EXE;9/15/1997:19:15:232448
:FILE;APPSW01=NOTES:UNKNOWN %FIELD% %DATE% %TIME% %SIZE%;NOTES.EXE
[NOTESID]
:INI;NOTESID=%VALUE%;NOTES.INI;NOTES;LOCATION;*;NOTES.EXE
```

*fig. 8*